

MATERIAL SAFETY DATA SHEET

Manufacturer: Star brite Distributing, Inc.
Address: 4041 S. W. 47 Avenue,
Ft. Lauderdale, FL 33314

Telephone: 954-587-6280
Emergency: 800-424-9300 or 703-527-3887 - Chemtrec

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive Date: January 22, 2010
Star brite EZ-To-Store EZ-To-Start Diesel Additive Replaces: September 20, 2009dco

Synonyms:

Description: A FUEL ADDITIVE PRODUCT CONTAINING KEROSENE

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT NAMES	% OF PRODUCT	EXPOSURE LIMITS		ACGIH	
		OSHA PPM	TWA MG/M3	PPM	MG/M3
Stoddard Solvent CAS #: 8052-41-3	BT 90-95	500	350	NG	NG
XYLENE CAS #: 1330207	BT 1-5	100	434	100	434

SECTION 3 HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: Prolonged or repeated contact with skin may cause moderate irritation. Contact with eyes can cause severe irritation. Inhalation of vapors may cause respiratory irritation. Harmful or fatal if swallowed.

POTENTIAL HEALTH EFFECTS

CARCINOGENICITY: Product not considered a carcinogen by OSHA, NTP, or IARC.

MEDICAL CONDITIONS

WHICH MAY BE AGGRAVATED
BY EXPOSURE:

Pre-existing eye or skin conditions may be aggravated by over-exposure to this product.

TARGET ORGANS:

Liver, kidneys, lungs.

ACUTE HEALTH EFFECTS

EYE CONTACT:

Will cause irritation upon contact.

SKIN CONTACT:

Prolonged or repeated contact with skin can cause irritation.

INHALATION:

Respiratory irritation and dizziness.

INGESTION:

Over exposure to the ingredients in this product can cause liver abnormalities and kidney damage.

HMS Ratings:

0=Insignificant 1 HEALTH 2 FLAMMABILITY 0 REACTIVITY
1=Slight 2=Moderate 3=High 4=Service

SECTION 4 FIRST AID INFORMATION

EYE CONTACT: Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

SKIN CONTACT: Wash area with soap and water. Seek medical attention if irritation persists.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention.

INGESTION: DO NOT induce vomiting. Give CONSCIOUS victim large quantities of water and seek medical attention immediately. NEVER give water to unconscious victim or victim having trouble breathing.

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive and Star brite EZ-To-Store EZ-To-Start Diesel Additive Date: Date: January 22, 2010

SECTION 5 FIRE FIGHTING MEASURES

Closed Cup Flash Pt.: BT TCC > 42-45°C (107-113°F)
Open Cup Flash Point: NG
Fire Point: NG
Auto Ignition: > 230° C (>446° F)

EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam, Water Fog.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS: Vapors are heavier than air and can collect in low areas.

FIRE FIGHTING INSTRUCTIONS: Containers can build up pressure if exposed to fire. Containers should be cooled with water spray.

FIRE FIGHTING EQUIPMENT: Self contained breathing apparatus with full face piece operated in pressure demand or positive pressure mode.

SECTION 6 ACCIDENTAL RELEASE MEASURES

SPILL/LEAK PROCEDURES: Notify safety personnel, evacuate all unnecessary personnel and provide adequate ventilation. If feasible without risk, clean-up personnel should stop leak. All clean-up personnel should wear proper personal protective equipment.

SMALL SPILL: Clean with inert absorbant and place in recovery drums for disposal.

LARGE SPILL: Dike to prevent further migration of material. Do not release into waterways or sewers. Follow applicable OSHA regulation 20CFR1910.120.

SECTION 7 HANDLING AND STORAGE

STORAGE REQUIREMENTS: Store in clean, dry locations away from excessive heat. Store in areas designated for the storage of combustible liquids according to NFPA 30 (Flammable and Combustible Liquids Code).

HANDLING PRECAUTIONS: Wash thoroughly after handling. Do not get into eyes, on skin, or on clothing.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION EQUIPMENT

ENGINEERING CONTROLS: Eye wash station and safety shower.

VENTILATION: Strong general or local exhaust ventilation.

PERSONAL PROTECTIVE EQUIPMENT

EYE PROTECTION: Chemical splash goggles with indirect or no ventilation.

SKIN PROTECTION: Chemical resistant gloves such as Nitrile or Neoprene.

RESPIRATORY PROTECTION: Air purifying organic vapor respirator if vapors are a nuisance or if concentrations are above PEL or TLV.

COMMENTS: Never eat, drink, or smoke in work areas.

Product No.: 84308, 84316, 84332, 84300, 843GA5, 843G55, 84408, 84416, 84432, 84400, 844GA5, 844G55

Trade Name: Star brite EZ-To-Store EZ-To-Start Gas Storage Additive and Star brite EZ-To-Store EZ-To-Start Diesel Additive Date: Date: January 22, 2010

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

OSHA: Considered hazardous as defined by 29CFR1910.1200

EPA SARA TITLE III:

Section 311-312 (40CFR370): If stored in excess of the threshold quantities, this product should be reported as a(n):

- Immediate (acute) health hazard
- Delayed (chronic) health hazard
- Fire Hazard

Section 313 (40CFR372): This product contains the following ingredients which are subject to the reporting requirements of SARA 313.

- Xylene (1 – 5%)

STATE REGULATIONS

California Proposition 65: This product does not contain ingredients which are on the current Proposition 65 list.

New Jersey Right to Know: This product contains the following ingredients, which are non-hazardous, but are among the top five ingredients in this product:

----CHEMICAL NAME-----

Stoddard Solvent

-----CAS#-----

8052-41-3

SECTION 16 OTHER INFORMATION

NOTES:

*NG = "Not Given"

*BT = "Between"

*< = "Less Than"

*> = "Greater Than"

USER'S RESPONSIBILITY: This MSDS provides environmental, health and safety information. This product is to be used in applications consistent with our product literature and container label. Individuals handling this product should be informed to the recommended safety precautions and have access to this MSDS. Please contact your local sales representative or our Environmental, Health and Safety Department for further information.

END OF MSDS